

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat IgG anti-Rabbit IgG (Fc)-unconj., MinX Hu, Polyclonal , Unconjugated DNA-SEC-183355

Article Name	Goat IgG anti-Rabbit IgG (Fc)-unconj., MinX Hu, Polyclonal , Unconjugated
Biozol Catalog Number	DNA-SEC-183355
Supplier Catalog Number	SEC-183355
Alternative Catalog Number	DNA-SEC-183355
Manufacturer	dianova
Host	Goat
Category	Antikörper
Application	DOT, ELISA, WB
Species Reactivity	Rabbit
Immunogen	Anti Rabbit IgG F(c) was produced by repeated immunization with rabbit IgG F(c) fragment in goat.
Conjugation	Unconjugated
Product Description	Anti-Rabbit IgG F(c) generated in goat is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperature, time and pH. Receptors bind the Fc portion of rabbit IgG and o...
Clonality	Polyclonal
Concentration	2mg/mL
Isotype	Ig

Buffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Purity	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a singl
Formula	20 mM K3PO4,150 mM NaCl,pH 7,2,sterile filtered,0,01% NaN3
Target	Rabbit
Antibody Type	Polyclonal Antibody
Application Dilute	ELISA Dilution: 1:20,000 - 1:100,000, Immunohistochemistry Dilution: 1:1,000 - 1:5,000, Western Blot Dilution: 1:2,000 - 1:10,000
Application Notes	Anti-Rabbit IgG F(c) is tested by immunoelectrophoresis, ELISA, dot blot, and western blot. This product is suitable for use in western-blot, competitive western-blot, and competitive ELISA assays. Specific conditions for reactivity and signal detection