

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | Fax: +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Sheep IgG anti-Rabbit IgG (H+L)-Biotin, MinX Bo,Ck,Go,Gp,Ho,Hu,Ms,Rt,Sh, Polyclonal DNA-SEC-183414

| Article Name               | Sheep IgG anti-Rabbit IgG (H+L)-Biotin, MinX<br>Bo,Ck,Go,Gp,Ho,Hu,Ms,Rt,Sh, Polyclonal   |
|----------------------------|--|
| Biozol Catalog Number      | DNA-SEC-183414   |
| Supplier Catalog Number    | SEC-183414   |
| Alternative Catalog Number | DNA-SEC-183414   |
| Manufacturer               | dianova  |
| Host                       | Sheep  |
| Category                   | Antikörper   |
| Application                | WB, IHC, ELISA   |
| Species Reactivity         | Rabbit   |
| Immunogen                  | Rabbit IgG whole molecule  |
| Conjugation                | Biotin   |
| Product Description        | Anti-Rabbit IgG (H&L) generated in sheep detects rabbit Immunoglobulin G. Both the Heavy and Light chains of the antibody molecule are present. Representing approximately 75% of serum immunoglobulins, IgG is the most abundant antibody isotype found i |
| Clonality                  | Polyclonal   |
| Concentration              | 1.0 mg/mL  |
| Isotype                    | Ig   |

| Buffer             | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2   |
|--------------------|--|
| Purity             | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a singl |
| Formula            | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3   |
| Target             | Rabbit   |
| Antibody Type      | Polyclonal Antibody  |
| Application Dilute | WB: 1:2,000 - 1:10,000   |
| Application Notes  | This product has been assayed against 1.0 ug of Rabbit IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin S000-03 and ABTS (2,2-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code ABTS-100 as a substrate for 30 minutes at roo     |