

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Donkey IgG anti-Rabbit IgG (H+L)-unconj., MinX Bo,Ck,Go,Gp,Hm,Ho,Hu,Ms,Rt,Sh, Polyclonal DNA-SEC-183421**

|                            |   |
|----------------------------|---|
| Article Name               | Donkey IgG anti-Rabbit IgG (H+L)-unconj., MinX<br>Bo,Ck,Go,Gp,Hm,Ho,Hu,Ms,Rt,Sh, Polyclonal   |
| Biozol Catalog Number      | DNA-SEC-183421  |
| Supplier Catalog Number    | SEC-183421  |
| Alternative Catalog Number | DNA-SEC-183421  |
| Manufacturer               | dianova   |
| Host                       | Donkey  |
| Category                   | Antikörper  |
| Application                | WB  |
| Species Reactivity         | Rabbit  |
| Immunogen                  | Anti-Rabbit IgG (H&L) was produced by repeated immunization with rabbit whole IgG molecule in donkey.   |
| Conjugation                | Unconjugated  |
| Product Description        | Anti-Rabbit IgG (H&L) Antibody generated in donkey detects reactivity to Rabbit IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bac... |
| Clonality                  | Polyclonal  |
| Concentration              | 1.0 mg/mL   |
| Isotype                    | Ig  |

|                    |  |
|--------------------|--|
| Buffer             | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2   |
| Purity             | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a singl |
| Formula            | 20 mM K3PO4,150 mM NaCl,pH 7,2,sterile filtered,0,01% NaN3   |
| Target             | Rabbit   |
| Antibody Type      | Polyclonal Antibody  |
| Application Dilute | WB: 1:2,000 - 1:10,000   |
| Application Notes  | Anti-Rabbit IgG (H&L) is tested by western blot and suitable for use in immunoelectrophoresis, western-blot, competitive western-blot, ELISA and competitive ELISA assays. Specific conditions for reactivity and signal detection should be optimized by the  |