

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat IgG anti-Rat IgG (Fc)-HRPO, MinX none, Polyclonal DNA-SEC-183463

| | |
|----------------------------|---|
| Article Name | Goat IgG anti-Rat IgG (Fc)-HRPO, MinX none, Polyclonal |
| Biozol Catalog Number | DNA-SEC-183463 |
| Supplier Catalog Number | SEC-183463 |
| Alternative Catalog Number | DNA-SEC-183463 |
| Manufacturer | dianova |
| Host | Goat |
| Category | Antikörper |
| Application | ELISA |
| Species Reactivity | Rat |
| Immunogen | Rat IgG F(c) fragment |
| Conjugation | HRP |
| Product Description | Anti-Rat IgG F(c) generated in goat is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperature, time and pH. Receptors bind the Fc portion of rat IgG and often t... |
| Clonality | Polyclonal |
| Concentration | 2.0 mg/mL |
| Isotype | Ig |
| Buffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |

| | |
|--------------------|--|
| Purity | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rat IgG coupled to agarose. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Goat Serum, Rat IgG, Rat IgG F(c) an |
| Formula | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% Gentamicin |
| Target | Rat |
| Antibody Type | Polyclonal Antibody |
| Application Dilute | WB: 1:2,000 - 1:10,000 |
| Application Notes | Anti-Rat IgG F(c) Peroxidase conjugate has been tested by ELISA and is suitable for immunoblotting (western or dot blot), ELISA, immunoelectron microscopy and immunohistochemistry as well as other antibody-based enzymatic assays requiring lot-to-lot cons |