

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat IgG anti-Swine IgG (H+L)-unconj., MinX none, Polyclonal DNA-SEC-183578

| | |
|----------------------------|---|
| Article Name | Goat IgG anti-Swine IgG (H+L)-unconj., MinX none, Polyclonal |
| Biozol Catalog Number | DNA-SEC-183578 |
| Supplier Catalog Number | SEC-183578 |
| Alternative Catalog Number | DNA-SEC-183578 |
| Manufacturer | dianova |
| Host | Goat |
| Category | Antikörper |
| Application | WB |
| Species Reactivity | Porcine |
| Immunogen | Anti-Swine IgG (H&L) was produced by repeated immunization with swine whole IgG molecule in goat. |
| Conjugation | Unconjugated |
| Product Description | Anti-Swine IgG secondary antibody generated in goat detects specifically swine IgG. This secondary antibody anti-Swine is ideal for investigators who routinely perform titration assays, western-blot, immunoprecipitation and more generally immunoassay... |
| Clonality | Polyclonal |
| Concentration | 2.17 mg/mL |
| Isotype | Ig |
| Buffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |

| | |
|--------------------|--|
| Purity | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Swine IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Swine IgG and Swine Serum. |
| Formula | 20 mM K ₃ PO ₄ ,150 mM NaCl,pH 7,2,sterile filtered,0,01% NaN ₃ |
| Target | Swine |
| Antibody Type | Polyclonal Antibody |
| Application Dilute | WB: 1:2,000 - 1:10,000 |
| Application Notes | Anti-Swine IgG (H&L) is tested by western blot and is suitable for use in immunoelectrophoresis, western-blot, competitive western-blot, ELISA and competitive ELISA assays. Specific conditions for reactivity and signal detection should be optimized by th |