

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat IgG anti-Monkey IgM (μ)-Biotin, MinX none, Polyclonal DNA-SEC-183615

| | |
|----------------------------|---|
| Article Name | Goat IgG anti-Monkey IgM (μ)-Biotin, MinX none, Polyclonal |
| Biozol Catalog Number | DNA-SEC-183615 |
| Supplier Catalog Number | SEC-183615 |
| Alternative Catalog Number | DNA-SEC-183615 |
| Manufacturer | dianova |
| Host | Goat |
| Category | Antikörper |
| Application | ELISA, WB |
| Species Reactivity | Monkey |
| Immunogen | Monkey IgM whole molecule |
| Conjugation | Biotin |
| Product Description | Anti-Monkey IgM (μ chain) biotin conjugated antibody generated in goat detects specifically monkey IgM (μ chain). Immunoglobulin M is the largest antibody isotype and the first to be secreted against an initial exposure to antigen. IgM is predomina... |
| Clonality | Polyclonal |
| Concentration | 1.0 mg/mL |
| Isotype | Ig |
| Buffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |

| | |
|--------------------|--|
| Purity | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Monkey IgM coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a singl |
| Formula | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3 |
| Target | Monkey |
| Antibody Type | Polyclonal Antibody |
| Application Dilute | WB: 1:2,000 - 1:10,000 |
| Application Notes | Anti-Monkey IgG (mu chain) Biotin conjugated Antibody has been tested by ELISA and western blot and is suitable for immunoblotting (western or dot blot), ELISA, immunoperoxidase electron microscopy and immunohistochemistry as well as other peroxidase-ant |