

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat IgG anti-Hamster armenian IgG (H+L)-Biotin, MinX none, Polyclonal DNA-SEC-183647

| Article Name | Goat IgG anti-Hamster armenian IgG (H+L)-Biotin, MinX none, Polyclonal |
|----------------------------|--|
| Biozol Catalog Number | DNA-SEC-183647 |
| Supplier Catalog Number | SEC-183647 |
| Alternative Catalog Number | DNA-SEC-183647 |
| Manufacturer | dianova |
| Host | Goat |
| Category | Antikörper |
| Application | ELISA, WB |
| Species Reactivity | Hamster |
| Immunogen | Armenian Hamster IgG whole molecule |
| Conjugation | Biotin |
| Product Description | Anti-Armenian Hamster IgG Biotin Antibody generated in goat detects Armenian Hamster IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses |
| Clonality | Polyclonal |
| Concentration | 1.0 mg/mL |
| Isotype | Ig |

| Buffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
|--------------------|---|
| Purity | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Armenian Hamster IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted |
| Formula | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3 |
| Target | Armenian Hamster |
| Antibody Type | Polyclonal Antibody |
| Application Dilute | WB: 1:2,000 - 1:10,000 |
| Application Notes | Biotin Anti-Hamster IgG Secondary Antibody has been tested by ELISA and western blot and is designed for Western Blotting, ELISA and Immunohistochemistry. Biotin conjugated secondary antibodies can also be used for a variety of other applications such as |