

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat F(ab)2 anti-Mouse IgG (H+L)-unconj., MinX none, Polyclonal DNA-SEC-183779

Goat F(ab)2 anti-Mouse IgG (H+L)-unconj., MinX none, Polyclonal
DNA-SEC-183779
SEC-183779
DNA-SEC-183779
dianova
Goat
Antikörper
DOT, ELISA, WB
Mouse
Anti-Mouse IgG was produced by repeated immunization with Mouse IgG whole molecule in goat.
Unconjugated
F(ab)2 Mouse IgG (H&L) Antibody was generated by enzymatic cleavage and subsequent separation from the Fc fragment. Because of their smaller size, F(ab)2 fragments offer several advantages over intact antibodies for use in certain immunochemical tech
Polyclonal
1.0 mg/mL
Ig
0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Purity	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. As
Formula	20 mM K3PO4,150 mM NaCl,pH 7,2,sterile filtered,0,01% NaN3
Target	Mouse
Antibody Type	Polyclonal Antibody
Application Dilute	WB: 1:2,000 - 1:10,000
Application Notes	F(ab)2 Mouse IgG (H&L) Antibody has been tested by ELISA, SDS-PAGE, dot blot, and western blot and is suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background