

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Donkey F(ab)2 anti-Rabbit IgG (H+L)-RPE, MinX Bo,Ck,Go,Gp,Hm,Ho,Hu,Ms,Rt,Sh, Polyclonal DNA-SEC-183847**

|                            |   |
|----------------------------|---|
| Article Name               | Donkey F(ab)2 anti-Rabbit IgG (H+L)-RPE, MinX<br>Bo,Ck,Go,Gp,Hm,Ho,Hu,Ms,Rt,Sh, Polyclonal  |
| Biozol Catalog Number      | DNA-SEC-183847  |
| Supplier Catalog Number    | SEC-183847  |
| Alternative Catalog Number | DNA-SEC-183847  |
| Manufacturer               | dianova   |
| Host                       | Donkey  |
| Category                   | Antikörper  |
| Application                | WB  |
| Species Reactivity         | Rabbit  |
| Immunogen                  | Fab2 Anti-Rabbit IgG was produced by repeated immunization with Rabbit IgG whole molecule in donkey.  |
| Conjugation                | RPE   |
| Product Description        | F(ab)2 Anti-Rabbit IgG [H&L] Antibody Phycoerythrin Conjugated Pre-adsorbed was generated by enzymatic cleavage and subsequent separation from the Fc fragment. Because of their smaller size, F(ab)2 fragments offer several advantages over intact antib... |
| Clonality                  | Polyclonal  |
| Concentration              | 0.5 mg/mL   |
| Isotype                    | Ig  |

|                    |  |
|--------------------|--|
| Buffer             | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2   |
| Purity             | F(ab)2 Anti-Rabbit IgG (H&L) Phycoerythrin Conjugated Antibody Pre-adsorbed was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted r |
| Formula            | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3   |
| Target             | Rabbit   |
| Antibody Type      | Polyclonal Antibody  |
| Application Dilute | WB: 1:1,000  |
| Application Notes  | F(ab)2 Rabbit IgG Phycoerythrin Conjugated Antibody was tested in WB, and is suitable for immunomicroscopy, flow cytometry or FACS analysis, as well as other antibody based fluorescent assays requiring extremely low background levels, absence of F(c) med |