

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **CD48 (Pan Leukocyte Marker) Antibody, IgG2c, Clone: [CD48/4783], Mouse, Monoclonal NBT-962-MSM3-P0**

|                            |  |
|----------------------------|--|
| Article Name               | CD48 (Pan Leukocyte Marker) Antibody, IgG2c, Clone: [CD48/4783],<br>Mouse, Monoclonal  |
| Biozol Catalog Number      | NBT-962-MSM3-P0  |
| Supplier Catalog Number    | 962-MSM3-P0  |
| Alternative Catalog Number | NBT-962-MSM3-P0-20,NBT-962-MSM3-P0-100   |
| Manufacturer               | NeoBiotechnologies   |
| Host                       | Mouse  |
| Category                   | Antikörper   |
| Application                | IHC, WB  |
| Species Reactivity         | Human  |
| Immunogen                  | Recombinant fragment (around aa 59-178) of human CD48 protein<br>(exact sequence is proprietary)   |
| Product Description        | Reacts with human CD48, a 45kDa glycosyl phosphatidyl-inositol (GPI)-<br>anchored cell surface protein. CD48 is strongly expressed on<br>lymphocytes and monocytes and weakly on granulocytes but is<br>absent on platelets, fibroblasts, epithelium and endothelium.... |
| Clonality                  | Monoclonal   |
| Clone Designation          | [CD48/4783]  |
| Molecular Weight           | 45kDa  |
| Isotype                    | IgG2c  |

|                   |  |
|-------------------|--|
| NCBI              | <a href="#">962</a>  |
| UniProt           | <a href="#">P09326</a>   |
| Form              | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.   |
| Antibody Type     | Monoclonal Antibody  |
| Application Notes | Western Blot (2-4ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 &degC followed by cooling at RT for |