

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Cytokeratin 10/13 Antibody, IgG2a, Clone: [SPM262], Mouse, Monoclonal NBT-MSM11X-696-P1ABX

Article Name	Cytokeratin 10/13 Antibody, IgG2a, Clone: [SPM262], Mouse, Monoclonal
Biozol Catalog Number	NBT-MSM11X-696-P1ABX
Supplier Catalog Number	MSM11X-696-P1ABX
Alternative Catalog Number	NBT-MSM11X-696-P1ABX-100
Manufacturer	NeoBiotechnologies
Host	Mouse
Category	Antikörper
Application	FC, IF, IHC, WB
Species Reactivity	Feline, Human
Immunogen	Cytoskeletal preparation extracted from human ectocervical epithelium
Product Description	This antibody recognizes cytokeratin 10 (56.5kDa) and cytokeratin 13 (53kDa) in Western blotting. It recognizes only cytokeratin 13 in formalin-fixed, paraffin-embedded tissue sections. It does not react with cytokeratin 10 positive, cytokeratin 13 n
Clonality	Monoclonal
Clone Designation	[SPM262]
Molecular Weight	56.5kDa (CK10) & amp; 53kDa (CK13)
Isotype	IgG2a

NCBI	3858
UniProt	P13645
Form	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double are a side. Also available WITHOUT BSA & Double at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Application Notes	Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), Immunohistochemistry (Formalinfixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM