

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

GTF2A1 Antibody / TFIIA, Clone: [PCRP-GTF2A1-1F2], Mouse, Monoclonal NSJ-V9649-20UG

| | |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Name | GTF2A1 Antibody / TFIIA, Clone: [PCRP-GTF2A1-1F2], Mouse, Monoclonal |
| Biozol Catalog Number | NSJ-V9649-20UG |
| Supplier Catalog Number | V9649-20UG |
| Alternative Catalog Number | NSJ-V9649-20UG |
| Manufacturer | NSJ Bioreagents |
| Host | Mouse |
| Category | Antikörper |
| Application | ELISA, FACS, IF |
| Species Reactivity | Human |
| Immunogen | Recombinant full-length human protein was used as the immunogen for the GTF2A1 antibody. |
| Product Description | Initiation of transcription from protein-coding genes in eukaryotes is a complex process that requires RNA polymerase II, as well as families of basal transcription factors. Binding of the factor TFIID (TBP) to the TATA box is believed to be the fir... |
| Clonality | Monoclonal |
| Clone Designation | [PCRP-GTF2A1-1F2] |
| UniProt | P52655 |
| Purity | Protein A/G affinity |

| | |
|--------------------|------------------------------------------------------------------------------------------------------------|
| Form | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide |
| Antibody Type | Primary Antibody |
| Application Dilute | ELISA (order BSA-free format for coating),Flow cytometry: 1-2ug/million cells,Immunofluorescence: 1-2ug/ml |
| Application Notes | Optimal dilution of the GTF2A1 antibody should be determined by the researcher. |